

L Number	Hits	Search Text	DB	Time stamp
1	527	345/600-602.ccls.	USPAT	2004/05/07 17:20
2	1	6392656.pn.	USPAT	2004/05/07 17:27
3	4	("4322740" "5135300" "6034666" "6115152").PN.	USPAT	2004/05/07 17:21
4	0	6392656.URPN.	USPAT	2004/05/07 17:27
5	1	4725828.pn.	USPAT	2004/05/07 17:36
6	3	("4058828" "4183046" "4270141").PN.	USPAT	2004/05/07 17:29
7	25	4725828.URPN.	USPAT	2004/05/07 17:29
8	10	("4233601" "4584572" "4635048" "4639771" "4654720" "4725828" "4789854" "4910806" "4933230" "4986893").PN.	USPAT	2004/05/07 17:32
9	15	5142272.URPN.	USPAT	2004/05/07 17:33
10	1	6008868.pn.	USPAT	2004/05/07 17:38
11	7	("4642619" "4837613" "5052785" "5124695" "5300942" "5461503" "5526021").PN.	USPAT	2004/05/07 17:37
12	1	6008868.URPN.	USPAT	2004/05/07 17:37
13	239	(covert\$3 or reduc\$3 or decreas\$3) NEAR3 color WITH bit\$1	USPAT	2004/05/07 17:38
14	292	(covert\$3 or reduc\$3 or decreas\$3) NEAR3 color WITH bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:06
15	20	(covert\$3 or reduc\$3 or decreas\$3) NEAR3 rgb WITH bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:06
16	108	(covert\$3 or encod\$3 or compress\$3 or reduc\$3 or decreas\$3) NEAR3 rgb WITH bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:14
17	0	(red or r) NEAR3 four NEAR1 bit\$1 SAME (green or g) NEAR3 five NEAR2 bit\$1 SAME (blue or b) NEAR3 three NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:17
18	2	(red or r) NEAR3 four NEAR1 bit\$1 SAME (green or g) NEAR3 four NEAR2 bit\$1 SAME (blue or b) NEAR3 two NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:21
19	2	(red or r) NEAR3 four NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 two NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:22
20	2	(red or r) NEAR3 six NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 two NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:29
21	13	("4580134" "4583184" "5039983" "5065144" "5079544" "5081450" "5142272" "5379410" "5420608" "5434957" "5515077" "5604917" "5668599").PN.	USPAT	2004/05/07 18:26
22	6	("4233601" "4482893" "4591897" "4704605" "4733230" "4763283").PN.	USPAT	2004/05/07 18:27
23	16	5065144.URPN.	USPAT	2004/05/07 18:27
24	2	(red or r) NEAR3 six NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 four NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:31

25	1	(red or r) NEAR3 six NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 one NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:32
26	5	(red or r) NEAR3 eight NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 two NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:35
27	2	(red or r) NEAR3 (six or ("4058828" "4183046" "4270141").PN.)) NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 two NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:36
28	4	(red or r) NEAR3 (six or ("4058828" "4183046" "4270141").PN.)) NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 (two or 6392656.pn. or 6392656.URPN. or four or one) NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:37
29	17	(red or r) NEAR3 (eight or ("4058828" "4183046" "4270141").PN.)) NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 (two or 6392656.pn. or 6392656.URPN. or four or one) NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:58
30	16	((red or r) NEAR3 (eight or ("4058828" "4183046" "4270141").PN.)) NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 (two or 6392656.pn. or 6392656.URPN. or four or one) NEAR2 bit\$1) not ((red or r) NEAR3 (six or ("4058828" "4183046" "4270141").PN.)) NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 (two or 6392656.pn. or 6392656.URPN. or four or one) NEAR2 bit\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:37
31	151	(gren or g) NEAR3 greater WITH (red or r) WITH (blue or b)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:45
32	46	(red or r) NEAR3 (eight or ("4058828" "4183046" "4270141").PN.) or (("4233601" "4584572" "4635048" "4639771" "4654720" "4725828" "4789854" "4910806" "4933230" "4986893").PN.) or five or 4725828.pn.) NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 (two or 6392656.pn. or 6392656.URPN. or four or one) NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 19:10
33	29	((red or r) NEAR3 (eight or ("4058828" "4183046" "4270141").PN.) or (("4233601" "4584572" "4635048" "4639771" "4654720" "4725828" "4789854" "4910806" "4933230" "4986893").PN.) or five or 4725828.pn.) NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 (two or 6392656.pn. or 6392656.URPN. or four or one) NEAR2 bit\$1) not ((red or r) NEAR3 (eight or ("4058828" "4183046" "4270141").PN.)) NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 (two or 6392656.pn. or 6392656.URPN. or four or one) NEAR2 bit\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:58
34	29	4970663.URPN.	USPAT	2004/05/07 19:04

35	0	(red or r) NEAR3 (tweleve or 6008868.URPN.) NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 (two or 6392656.pn. or 6392656.URPN. or four or one) NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 19:06
36	0	(red or r) NEAR3 (tweleve or 6008868.URPN.) NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 (five or six or 4725828.pn. or ("4058828" "4183046" "4270141").PN.) or three or ("4322740" "5135300" "6034666" "6115152").PN.) NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 19:06
37	45	(green or g) NEAR3 (eight or ("4058828" "4183046" "4270141").PN.) or ("4233601" "4584572" "4635048" "4639771" "4654720" "4725828" "4789854" "4910806" "4933230" "4986893").PN.) or five or 4725828.pn.) NEAR1 bit\$1 SAME (red or r) NEAR2 bit\$1 SAME (blue or b) NEAR3 (two or 6392656.pn. or 6392656.URPN. or four or one) NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 19:12
38	1	((green or g) NEAR3 (eight or ("4058828" "4183046" "4270141").PN.) or ("4233601" "4584572" "4635048" "4639771" "4654720" "4725828" "4789854" "4910806" "4933230" "4986893").PN.) or five or 4725828.pn.) NEAR1 bit\$1 SAME (red or r) NEAR2 bit\$1 SAME (blue or b) NEAR3 (two or 6392656.pn. or 6392656.URPN. or four or one) NEAR2 bit\$1) not ((red or r) NEAR3 (eight or ("4058828" "4183046" "4270141").PN.) or ("4233601" "4584572" "4635048" "4639771" "4654720" "4725828" "4789854" "4910806" "4933230" "4986893").PN.) or five or 4725828.pn.) NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 (two or 6392656.pn. or 6392656.URPN. or four or one) NEAR2 bit\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 19:10
39	3	(green or g) NEAR3 (seven or 4725828.URPN.) NEAR1 bit\$1 SAME (red or r) NEAR2 bit\$1 SAME (blue or b) NEAR3 (two or 6392656.pn. or 6392656.URPN. or four or one) NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 19:14
40	1	(red or r) NEAR3 (seven or 4725828.URPN.) NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 (two or 6392656.pn. or 6392656.URPN. or four or one) NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 19:33
41	2	EP-1237139-\$.did.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 19:57
42	1	us-20030063074-\$.did.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 20:00
43	0	us-20030063074-\$.did. and opposite\$3 NEAR2 electrode\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 19:59
44	0	us-20030063074-\$.did. and opposite\$3 NEAR2 electrode	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 20:00

45	0	us-20030063074-\$.did. and opposite\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 20:00
46	1	us-20030063074-\$.did.	US-PGPUB	2004/05/07 20:00
47	1	us-20030063074-\$.did. and opposite	US-PGPUB	2004/05/07 20:05
48	1	NEAR3 electrode\$3		
	1	us-20030063074-\$.did. and first NEAR2	US-PGPUB	2004/05/07 20:10
		storage NEAR2 capacitance\$3 and second		
		NEAR1 storage NEAR2 capacitance\$3		
50	2	Jp-11183932-\$.did.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 20:13
			USPAT	
49	552	345/87-103.ccls. and (tft or		2004/05/07 20:14
		transistor\$1) SAME (common or com)		
		NEAR2 (electrode\$1 or line1)		
51	11	("4386352" "4646074" "5151806"	USPAT	2004/05/07 20:19
		"5250931" "5365079" "5517341"		
		"5585951" "5598285" "5610738"		
		"5708484" "5798744").PN.		
52	10	("4319237" "4679043" "4761058"	USPAT	2004/05/07 20:21
		"5510807" "5774100" "5903251"		
		"5926162" "5929833" "5936603"		
		"6069600").PN.		
53	0	6329976.URPN.	USPAT	2004/05/07 20:21

L Number	Hits	Search Text	DB	Time stamp
1	527	345/600-602.ccls.	USPAT	2004/05/07 15:45
2	527	345/600-602.ccls. and (g>G>b or green>green>blue)	USPAT	2004/05/07 15:47
3	527	345/600-602.ccls. and (g>G>b)	USPAT	2004/05/07 15:47

L Number	Hits	Search Text	DB	Time stamp
1	527	345/600-602.ccls.	USPAT	2004/05/07 17:20
2	1	6392656.pn.	USPAT	2004/05/07 17:27
3	4	("4322740" "5135300" "6034666" "6115152").PN.	USPAT	2004/05/07 17:21
4	0	6392656.URPN.	USPAT	2004/05/07 17:27
5	1	4725828.pn.	USPAT	2004/05/07 17:36
6	3	("4058828" "4183046" "4270141").PN.	USPAT	2004/05/07 17:29
7	25	4725828.URPN.	USPAT	2004/05/07 17:29
8	10	("4233601" "4584572" "4635048" "4639771" "4654720" "4725828" "4789854" "4910806" "4933230" "4986893").PN.	USPAT	2004/05/07 17:32
9	15	5142272.URPN.	USPAT	2004/05/07 17:33
10	1	6008868.pn.	USPAT	2004/05/07 17:38
11	7	("4642619" "4837613" "5052785" "5124695" "5300942" "5461503" "5526021").PN.	USPAT	2004/05/07 17:37
12	1	6008868.URPN.	USPAT	2004/05/07 17:37
13	239	(covert\$3 or reduc\$3 or decreas\$3) NEAR3 color WITH bit\$1	USPAT	2004/05/07 17:38
14	292	(covert\$3 or reduc\$3 or decreas\$3) NEAR3 color WITH bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:06
15	20	(covert\$3 or reduc\$3 or decreas\$3) NEAR3 rgb WITH bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:06
16	108	(covert\$3 or encod\$3 or compress\$3 or reduc\$3 or decreas\$3) NEAR3 rgb WITH bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:14
17	0	(red or r) NEAR3 four NEAR1 bit\$1 SAME (green or g) NEAR3 five NEAR2 bit\$1 SAME (blue or b) NEAR3 three NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:17
18	2	(red or r) NEAR3 four NEAR1 bit\$1 SAME (green or g) NEAR3 four NEAR2 bit\$1 SAME (blue or b) NEAR3 two NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:21
19	2	(red or r) NEAR3 four NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 two NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:22
20	2	(red or r) NEAR3 six NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 two NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:29
21	13	("4580134" "4583184" "5039983" "5065144" "5079544" "5081450" "5142272" "5379410" "5420608" "5434957" "5515077" "5604917" "5668599").PN.	USPAT	2004/05/07 18:26
22	6	("4233601" "4482893" "4591897" "4704605" "4733230" "4763283").PN.	USPAT	2004/05/07 18:27
23	16	5065144.URPN.	USPAT	2004/05/07 18:27
24	2	(red or r) NEAR3 six NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 four NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:31

25	1	(red or r) NEAR3 six NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 one NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:32
26	5	(red or r) NEAR3 eight NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 two NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:35
27	2	(red or r) NEAR3 (six or ("4058828" "4183046" "4270141").PN.)) NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 two NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:36
28	4	(red or r) NEAR3 (six or ("4058828" "4183046" "4270141").PN.)) NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 (two or 6392656.pn. or 6392656.URPN. or four or one) NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:37
29	17	(red or r) NEAR3 (eight or ("4058828" "4183046" "4270141").PN.)) NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 (two or 6392656.pn. or 6392656.URPN. or four or one) NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:58
30	16	((red or r) NEAR3 (eight or ("4058828" "4183046" "4270141").PN.)) NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 (two or 6392656.pn. or 6392656.URPN. or four or one) NEAR2 bit\$1) not ((red or r) NEAR3 (six or ("4058828" "4183046" "4270141").PN.)) NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 (two or 6392656.pn. or 6392656.URPN. or four or one) NEAR2 bit\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:37
31	151	(gren or g) NEAR3 greater WITH (red or r) WITH (blue or b)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:45
32	46	(red or r) NEAR3 (eight or ("4058828" "4183046" "4270141").PN.) or (("4233601" "4584572" "4635048" "4639771" "4654720" "4725828" "4789854" "4910806" "4933230" "4986893").PN.) or five or 4725828.pn.) NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 (two or 6392656.pn. or 6392656.URPN. or four or one) NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 19:10
33	29	((red or r) NEAR3 (eight or ("4058828" "4183046" "4270141").PN.) or (("4233601" "4584572" "4635048" "4639771" "4654720" "4725828" "4789854" "4910806" "4933230" "4986893").PN.) or five or 4725828.pn.) NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 (two or 6392656.pn. or 6392656.URPN. or four or one) NEAR2 bit\$1) not ((red or r) NEAR3 (eight or ("4058828" "4183046" "4270141").PN.)) NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 (two or 6392656.pn. or 6392656.URPN. or four or one) NEAR2 bit\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 18:58
34	29	4970663.URPN.	USPAT	2004/05/07 19:04

35	0	(red or r) NEAR3 (tweleve or 6008868.URPN.) NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 (two or 6392656.pn. or 6392656.URPN. or four or one) NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 19:06
36	0	(red or r) NEAR3 (tweleve or 6008868.URPN.) NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 (five or six or 4725828.pn. or ("4058828" "4183046" "4270141").PN.) or three or ("4322740" "5135300" "6034666" "6115152").PN.) NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 19:06
37	45	(green or g) NEAR3 (eight or ("4058828" "4183046" "4270141").PN.) or ("4233601" "4584572" "4635048" "4639771" "4654720" "4725828" "4789854" "4910806" "4933230" "4986893").PN.) or five or 4725828.pn.) NEAR1 bit\$1 SAME (red or r) NEAR2 bit\$1 SAME (blue or b) NEAR3 (two or 6392656.pn. or 6392656.URPN. or four or one) NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 19:12
38	1	((green or g) NEAR3 (eight or ("4058828" "4183046" "4270141").PN.) or ("4233601" "4584572" "4635048" "4639771" "4654720" "4725828" "4789854" "4910806" "4933230" "4986893").PN.) or five or 4725828.pn.) NEAR1 bit\$1 SAME (red or r) NEAR2 bit\$1 SAME (blue or b) NEAR3 (two or 6392656.pn. or 6392656.URPN. or four or one) NEAR2 bit\$1) not ((red or r) NEAR3 (eight or ("4058828" "4183046" "4270141").PN.) or ("4233601" "4584572" "4635048" "4639771" "4654720" "4725828" "4789854" "4910806" "4933230" "4986893").PN.) or five or 4725828.pn.) NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 (two or 6392656.pn. or 6392656.URPN. or four or one) NEAR2 bit\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 19:10
39	3	(green or g) NEAR3 (seven or 4725828.URPN.) NEAR1 bit\$1 SAME (red or r) NEAR2 bit\$1 SAME (blue or b) NEAR3 (two or 6392656.pn. or 6392656.URPN. or four or one) NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 19:14
40	1	(red or r) NEAR3 (seven or 4725828.URPN.) NEAR1 bit\$1 SAME (green or g) NEAR2 bit\$1 SAME (blue or b) NEAR3 (two or 6392656.pn. or 6392656.URPN. or four or one) NEAR2 bit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 19:14